






GW Kathy 2,40 x 5,05 m.

Assembly instruction

Page 1/14





This wagon must be based on adjustable legs and is not moveable



GW Kathy 2,40 x 5,05 m.

Assembly instruction

Page 2/14




1a	+	1b
4,5 x 80		16

GW Kathy 2,40 x 5,05 m.


Assembly instruction

Page 3/14



base + 1a + 1b


bolt M10x70	8
washer M10	16
nut M10	8






GW Kathy 2,40 x 5,05 m.

Assembly instruction


Page 4/14



2a	+	2b	+	2c	4,5 x 80	84	12 screws 4,5x80 per connection
Base	+	2a/2b/2c		Bolt M10 x 110		4	
Base	+	2a		Bolt M10 x 70		4	



1 screw 4,5x80 per
connection,
totally 14 pcs.





1 support plate 170x35x2
per connection,
totally 14 pcs.
+
16 screws 3,5x40 per plate,
totally 112 pcs.


GW Kathy 2,40 x 5,05 m.

Assembly instruction

Page 5/14





2 screws 4,5x80 per connection,
totally 28 pcs.



GW Kathy 2,40 x 5,05 m.

Assembly instruction

Page 6/14




2 screws 4x60
per wall
element

5 screws
4,5x80
per
connection

GW Kathy 2,40 x 5,05 m.


Assembly instruction

Page 7/14




18

fix with
screws 3,5x40
3 pcs.




end walls:
do`nt cut off the upper bung





side walls:
cut off the upper bung

use a nail gun




3d



GW Kathy 2,40 x 5,05 m.

Assembly instruction


Page 8/14



GW Kathy 2,40 x 5,05 m.

Assembly instruction


Page 9/14




GW Kathy 2,40 x 5,05 m.

Assembly instruction

Page 10/14




31	+	walls	4,5 x 80	22
----	---	-------	----------	----



GW Kathy 2,40 x 5,05 m.

Assembly instruction




Page 11/14



9a	+	31	3,5x40	8
----	---	----	--------	---

10a/10b	+	7/8
---------	---	-----


use a nail gun




GW Kathy 2,40 x 5,05 m.

Assembly instruction

Page 12/14




13b	+	walls	3,5 x 40	50
-----	---	-------	----------	----



GW Kathy 2,40 x 5,05 m.

Assembly instruction


Page 13/14



GW Kathy 2,40 x 5,05 m.

Assembly instruction

Page 14/14



PRODUCT:
WIN-code:
Article:

Packing list		Page
GW Kathy 2		1/2
Kontroll		
40.0170		
quantity	dimension (mm.)	specify
4	44 x 94 x 2368	
4	44 x 94 x 1000	
2	44 x 120 x 2368	
7	44 x 120 x 3996	
7	44 x 120 x 966	
7	44 x 120 x 1096	
1	19 x 75 x 2368	first
46	19 x 90 x 2368	
8	19 x 94 x 2368	
1	600 x 1980	
1	600 x 1980	
1	1200 x 1980	
4	1200 x 1980	
2	1200 x 1980	
2	600 x 1980	
1	600 x 1958	
1	600 x 1958	
1	1200 x 1980	
7	455 x 2406	
3	2406 x 416	with panel
1+1	19 x 70 x 1599	first/last
1+1	19 x 70 x 3749	first/last
29	19 x 90 x 1599	
29	19 x 90 x 3749	
1+1	44 x 120 x 1205	45° //
5	44 x 170 x 1152	
2	16 x 94 x 2050	end 37°
12	16 x 70 x 1936	
2	16 x 70 x 2314	end 20°
2	19 x 63 x 1980	
1	19 x 19 x 1112	
1	16 x 70 x 1106	
2	831 x 1980	
2	590 x 1980	
16	19 x 40 x 180	
8	L = 710 mm.	arc-element
2	516 x 880	
2	16 x 25 x 900	
4	28 x 44 x 2674	edge 37°

fasteners set, assembly instruction

Metal parts:

2/2

50	wagon wheel	4
51	wagon wheels washer	4
51a	wheel`s splint	4
52	wagon axle	2
53	basemment support	4
54	bolts and nuts for basement	4
55	adjustable support leg	4
56	adjustable leg`s nut M27	4
57	bolt M10, L = 70 mm.	12
58	bolt M10, L = 110 mm.	4
59	nut M10	16
60	washer M10	32